This listing of claims will replace all prior versions, and listings, of claims in the application:

IN THE CLAIMS:

Please amend the claims as follows:

1. (Currently amended) A device for catching fish comprising a handle and a body wherein the body is a tube having a first end and a second end so that the first end has an opening that allows a fish to swim into the tube and a second end that prevents the fish~~'s~~ from swimming through the tube and wherein the handle is ~~non-movably~~ non-rotatably connected to the body along an outer surface of the body.

2. (Previously presented) The device for catching fish according to claim 1, wherein the second end has at least one opening though which water flows.

3. (Previously presented) The device for catching fish according to claim 1, wherein the body is made of plastic.

4. (Previously presented) The device for catching fish according to claim 3, wherein the plastic is opaque.

5. (Withdrawn) A device for catching fish according to claim 1, wherein the body forms a funnel at the first end.

6. (Withdrawn) A device for catching fish according to claim 1, wherein the handle is made of stainless steel.

7. (Previously presented) The device for catching fish according to claim 1, wherein the handle and body are made of plastic.

8. (Cancelled).

9. (Previously presented) The device for catching fish according to claim 1, wherein the handle has non-slip features.

10. (Currently amended) A device for catching fish having a handle with a slip resistant surface and an opening at a first end of the handle and a second end, distally located from the first end, ~~non-movably~~ non-rotatably connected to an outer surface of a body with a first end and a second end that is defined by an outer wall and an inner wall, the inner wall being generally smooth and forms a longitudinal chamber within the body, the first end of the body that has an opening large enough for a fish to swim into the longitudinal chamber, the chamber is of a sufficient length so that at least a substantial portion of the length of the fish is in the chamber, and a second end of the body that is formed so that it prevents the fish from swimming out of the chamber through the second end.

11. (Previously presented) The device for catching fish according to claim 11, wherein the body has at least one drain port that is small enough to prevent a fish in the chamber from leaving the chamber through the drain port.

12. (Withdrawn) A device for catching fish that has a rigid handle connected to a body that is a rigid hollow opaque cone with the base of the cone forming an opening large enough to allow a fish to at least partially enter into the hollow body of the cone whereas the cone has at least one drain port that is small enough to prevent the fish from swimming through the drain port.

13. (Previously presented) A device for catching a fish comprising a handle and a body non-movably connected to the handle along an outer surface thereof, the body having a first end and a second end wherein the fish swims into the body without bait through an opening in the first end and wherein the fish is unable to exit the body through the second end.

14. (Previously presented) The device according to claim 13 wherein the body is semi-rigid.

15. (Previously presented) The device according to claim 13 wherein the body is opaque.

16. (Previously presented) The device according to claim 13 wherein the handle is semi-rigid.

17. (Previously presented) The device according to claim 13 wherein the body is a tube.

18. (Withdrawn) A device according to claim 13 wherein the body has a plurality of drain ports each smaller than the size of the opening in the first end.

19. (Previously presented) The device according to claim 13 wherein the body has one drain port that is smaller than the opening in the first end.